

# **Electronic Components Industry Association Guideline**

## **EDI Transaction Set 867 Product Transfer and Resale Report**

X12 Version 4010

August 2013

ECIA's EDI Committee has reviewed this transaction set and made modifications that will benefit the electronics industry by simplifying the transaction focusing on industry specific needs.

## NOTICE

ECIA Industry Guidelines and Publications contain material that has been prepared, progressively reviewed, and approved through various ECIA-sponsored industry task forces, comprised of ECIA member distributors, manufacturers, and manufacturers' representatives. After adoption, efforts are taken to ensure widespread dissemination of the guidelines. ECIA reviews and updates the guidelines as needed.

ECIA Industry Guidelines and Publications are designed to serve the public interest, including electronic component distributors, manufacturers and manufacturers' representatives through the promotion of uniform and consistent practices between manufacturers, distributors, and manufacturers' representatives resulting in improved efficiency, profitability, product quality, safety, and environmentally responsible practices. Existence of such guidelines shall not in any respect preclude any member or non-member of ECIA from adopting any other practice not in conformance to such guidelines, nor shall the existence of such guidelines preclude their voluntary use by those other than ECIA members, whether the guideline is to be used either domestically or internationally.

ECIA does not assume any liability or obligation whatever to parties adopting ECIA Industry Guidelines and Publications. Each company must independently assess whether adherence to some or all of the guidelines is in its own best interest.

Inquiries, comments, and suggestions relative to the content of this ECIA Industry Guideline should be addressed to ECIA headquarters.

Published by

ELECTRONIC COMPONENTS INDUSTRY ASSOCIATION  
1111 Alderman Dr., Suite 400  
Alpharetta, GA 30005  
678-393-9990

Copyright 2013  
Printed in U.S.A.  
All rights reserved

# 867 Product Transfer and Resale Report

Functional Group ID=**PT**

## Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Product Transfer and Resale Report Transaction Set (867) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to: (1) report information about product that has been transferred from one location to another; (2) report sales of product from one or more locations to an end customer; or (3) report sales of a product from one or more locations to an end customer, and demand beyond actual sales (lost orders). Report may be issued by either buyer or seller.

## Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BPT	Beginning Segment for Product Transfer and Resale	M	1		
	030	DTM	Date/Time Reference	O	2		
	060	REF	Reference Identification	O	1		
LOOP ID - N1						5	
Must Use	080	N1	Name	M	1		

## Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
LOOP ID - PTD						>1	
Must Use	010	PTD	Product Transfer and Resale Detail	M	1		
LOOP ID - N1						5	
Must Use	050	N1	Name	M	1		
1	070	N3	Address Information	O	2		
Must Use	080	N4	Geographic Location	M	1		
LOOP ID - QTY						>1	
Must Use	110	QTY	Quantity	M	1		
Must Use	120	LIN	Item Identification	M	1		
Must Use	130	UIT	Unit Detail	M	12		
Must Use	190	REF	Reference Identification	M	1		
	199	REF	Reference Identification	O	1		
Must Use	210	DTM	Date/Time Reference	M	10		
	215	DTM	Date/Time Reference	O	10		
Must Use	220	CUR	Currency	M	1		

## Summary:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
--	-----------------	----------------	-------------	------------------	----------------	--------------------	---------------------------

			LOOPID-CTT		
Must Use	010	CTT	Transaction Totals	M	nl
Must Use	030	SE	Transaction Set Trailer	M	

### Transaction Set Notes

- L** The number of line items (CTT01) is the accumulation of the number of LIN segments. If used, hash total (CTT02) is the sum of the value of quantities (QTY02) for each QTY segment.

**Segment:** **ST** Transaction Set Header  
**Position:** 010  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of a transaction set and to assign a control number  
**Syntax Notes:**  
**Semantic Notes:** 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).  
**Comments:**

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Des.</b>	<b>Element</b>		
ST01	143	Transaction Set Identifier Code	M ID 3/3
		Code uniquely identifying a Transaction Set	
		Refer to 004010 Data Element Dictionary for acceptable code values.	
ST02	329	Transaction Set Control Number	M AN 4/9
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	

**Segment:** **BPT** Beginning Segment for Product Transfer and Resale  
**Position:** 020  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the beginning of the Product Transfer and Resale Report Transaction Set and transmit identifying data

**Syntax Notes:** 1 If either BPT05 or BPT06 is present, then the other is required.  
**Semantic Notes:** 1 BPT02 identifies the transfer/resale number.  
 2 BPT03 identifies the transfer/resale date.  
 3 Does not apply.  
 4 Does not apply.

**Comments:**

**Notes:** The BPT02 will be used to stop duplication of Resale Report Processing.

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
<b>Des.</b>	<b>Element Name</b>	
<b>BPT01</b>	<b>353 Transaction Set Purpose Code</b> Code identifying purpose of transaction set 00 Original	<b>M ID 2/2</b>
<b>BPT02</b>	<b>127 Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>M AN 1/30</b>
<b>BPT03</b>	<b>373 Date</b> Date expressed as CCYYMMDD This date should represent the month of the file contents, not the date that the data is extracted from your system. For example, if you extract and send a file on August 4 that contains data for July 1 through July 31, the reporting date should be a day from July (July 15 or July 31). If the file contains data for multiple months, the reporting date should be a day from the last month contained in the file.	<b>M DT 8/8</b>
<b>BPT04</b>	<b>755 Report Type Code</b> Code indicating the title or contents of a document, report or supporting item 02 Resale	<b>O ID 2/2</b>

**Segment:** **DTM** Date/Time Reference  
**Position:** 30  
**Loop:**  
**Level:** Header  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**  
**Comments:**

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
<b><u>Des.</u></b>	<b><u>Element</u> <u>Name</u></b>	<b><u>ID</u></b>
DTM01	374 Date/Time Qualifier	M ID 3/3
	Code specifying type of date or time, or both date and time	
	193 Period Start	
	194 Period End	
DTM02	373 Date	X DT 8/8
	Date expressed as CCYYMMDD	

**Segment:** **REF** Reference Identification  
**Position:** 060  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 If either C04003 or C04004 is present, then the other is required.  
 2 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 Does not apply.  
**Comments:**  
**Notes:** If used at this level, Reference Number will be used on all invoices created for this Resale Report. Used for Distributor Integrated Inventory Program ONLY.

**Data Element Summary**

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
REF01	128	Reference Identification Qualifier	M ID 2/3
		Code qualifying the Reference Identification	
		PO Purchase Order Number	
REF02	127	Reference Identification	O AN 1/30
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
		PO Number or Billing reference number to use as PO number on Invoice.	



**Segment:** **N1** Name  
**Position:** 080  
**Loop:** N1 Mandatory  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:**

- 1 At least one of N102 or N103 is required.
- 2 If either N103 or N104 is present, then the other is required.

**Semantic Notes:**  
**Comments:**

- 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2 Does not apply.

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Des.</b>	<b>Element</b>		
<b>N101</b>	<b>98</b>	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual DB Distributor Branch DS Distributor	<b>M ID 2/3</b>
<b>N102</b>	<b>93</b>	<b>Name</b> Free-form name	<b>X AN 1/60</b>
<b>N103</b>	<b>66</b>	<b>Identification Code Qualifier</b> Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix 91 Assigned by Seller or Seller's Agent 92 Assigned by Buyer or Buyer's Agent	<b>X ID 1/2</b>
<b>N104</b>	<b>67</b>	<b>Identification Code</b> Code identifying a party or other code DISTRIBUTOR BRANCH NUMBER	<b>X AN 2/80</b>

**Segment:** **PTD** Product Transfer and Resale Detail  
**Position:** 010  
**Loop:** PTD Mandatory  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data

**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**

**Data Element Summary**

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
PTD01	521	<b>Product Transfer Type Code</b> Code identifying the type of product transfer	<b>M ID 2/2</b>
		SD Ship and Debit Sale	
		SS Stock Sale	

**Segment:** **N1** Name  
**Position:** 050  
**Loop:** N1 Mandatory  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:**

- 1 At least one of N102 or N103 is required.
- 2 If either N103 or N104 is present, then the other is required.

**Semantic Notes:**  
**Comments:**

- 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2 Does not apply.

**Data Element Summary**

<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u> <u>Name</u>	<u>Attributes</u>
N101	<b>98 Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual EC            Exchanger EN            End User MA            Party for whom Item is Ultimately Intended	<b>M ID 2/3</b>
N102	<b>93 Name</b> Free-form name END CUSTOMER NAME	<b>X AN 1/60</b>
N103	<b>66 Identification Code Qualifier</b> Code designating the system/method of code structure used for Identification Code (67) 1            D-U-N-S Number, Dun & Bradstreet 9            D-U-N-S+4, D-U-N-S Number with Four Character Suffix 91           Assigned by Seller or Seller's Agent 92           Assigned by Buyer or Buyer's Agent	<b>X ID 1/2</b>
N104	<b>67 Identification Code</b> Code identifying a party or other code END CUSTOMER ACCOUNT NUMBER	<b>X AN 2/80</b>

**Segment:** N3 Address Information  
**Position:** 070  
**Loop:** N1 Mandatory  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 2  
**Purpose:** To specify the location of the named party  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Des.</b>	<b>Element</b>		
N301	166	<b>Address Information</b> Address information	M AN 1/55
N302	166	<b>Address Information</b> Address information	O AN 1/55

**Segment:** **N4 Geographic Location**  
**Position:** 080  
**Loop:** N1 Mandatory  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To specify the geographic place of the named party  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**

- 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
- 2 N402 is required only if city name (N401) is in the U.S. or Canada.

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
<b><u>Des.</u></b>	<b><u>Element</u> <u>Name</u></b>	<b><u>Attributes</u></b>
N401	19 <b>City Name</b> Free-form text for city name	M AN 2/30
N402	156 <b>State or Province Code</b> Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
N403	116 <b>Postal Code</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O ID 3/15
N404	26 <b>Country Code</b> Code identifying the country	M ID 2/3

**Segment:** QTY Quantity  
**Position:** 110  
**Loop:** QTY Mandatory  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:**  
**Semantic Notes:** 1 Does not apply.  
**Comments:**

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Element Name</b>	<b>Attributes</b>
QTY01	673	<b>Quantity Qualifier</b> Code specifying the type of quantity 32 Quantity Sold	M ID 2/2
QTY02	380	<b>Quantity</b> Numeric value of quantity	O R 1/15
QTY03	C001	<b>Composite Unit of Measure</b> To identify a composite unit of measure (See Figures Appendix for examples of use)	O
C00101	355	<b>Unit or Basis for Measurement Code</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken EA Each	M ID 2/2

**Segment:** **LIN** Item Identification  
**Position:** 120  
**Loop:** QTY Mandatory  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To specify basic item identification data  
**Syntax Notes:**  
**Semantic Notes:** 1 LIN01 is the line item identification  
**Comments:** 1 See the Data Dictionary for a complete list of IDs.  
2 LIN02 through LIN31 provides for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Element</b>	<b>Name</b>	<b>Attributes</b>
LIN01	350		<b>Assigned Identification</b> Alphanumeric characters assigned for differentiation within a transaction set	<b>O AN 1/20</b>
LIN02	235		<b>Product/Service ID Qualifier</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234) VP Vendor's (Seller's) Part Number	<b>M ID 2/2</b>
LIN03	234		<b>Product/Service ID</b> Identifying number for a product or service <b>PART NUMBER</b>	<b>M AN 1/48</b>

**Segment:** **UIT** Unit Detail  
**Position:** 130  
**Loop:** QTY Mandatory  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 12  
**Purpose:** To specify item unit data  
**Syntax Notes:** 1 If UIT03 is present, then UIT02 is required.  
**Semantic Notes:**  
**Comments:**

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Element</b>	<b>Name</b>	<b>Attributes</b>
UIT01	C001		<b>Composite Unit of Measure</b> To identify a composite unit of measure (See Figures Appendix for examples of use)	M
C00101	355		<b>Unit or Basis for Measurement Code</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken EA Each	M ID 2/2
UIT02	212		<b>Unit Price</b> Price per unit of product, service, commodity, etc.	M R 1/17
UIT03	639		<b>Basis of Unit Price Code</b> Code identifying the type of unit price for an item LE Distributor Cost QE Quoted Cost RE Retail Cost	M ID 2/2



**Segment:** **REF** Reference Identification  
**Position:** 190  
**Loop:** QTY Mandatory  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** >1  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 If either C04003 or C04004 is present, then the other is required.
- 2 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 Does not apply.

**Comments:**

**Data Element Summary**

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification DI Distributor Invoice Number	M ID 2/3
REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M AN 1/30

**Segment:** **REF** Reference Identification  
**Position:** 199  
**Loop:** QTY Mandatory  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 If either C04003 or C04004 is present, then the other is required.  
 2 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 Does not apply.  
**Comments:**  
**Notes:** If sale was under a Ship & Debit Agreement, reference the agreement number this was sold under. Also PTD segment element 01 must contain a code of "SD" Ship and Debit Sale.

**Data Element Summary**

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
REF01	128		<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			Code qualifying the Reference Identification	
			AH Agreement Number	
			AU Authorization to Meet Competition Number	
REF02	127		<b>Reference Identification</b>	<b>M AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
			Agreement Number for Ship & Debit.	

**Segment:** **DTM** Date/Time Reference

**Position:** 210

**Loop:** QTY Mandatory

**Level:** Detail

**Usage:** Mandatory

**Max Use:** 10

**Purpose:** To specify pertinent dates and times

**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.

2 If DTM04 is present, then DTM03 is required.

3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

#### Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
DTM01	374	Date/Time Qualifier		M ID 3/3
			Code specifying type of date or time, or both date and time	
			003 Invoice	
			011 Shipped	
DTM02	373	Date		X DT 8/8
			Date expressed as CCYYMMDD	

Segment: **CUR** Currency

**Position:** 220  
**Loop:** QTY Mandatory  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To specify the currency (dollars, pounds, francs, etc.) used in a transaction  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:** 1 See Figures Appendix for examples detailing the use of the CUR segment.

**Data Element Summary**

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
CUR01	98	<b>Entity Identifier Code</b>	<b>M ID 2/3</b>
		Code identifying an organizational entity, a physical location, property or an individual	
		SE Selling Party	
CUR02	100	<b>Currency Code</b>	<b>M ID 3/3</b>
		Code (Standard ISO) for country in whose currency the charges are specified	
		USD U.S. Dollars	
		CAD Canadian dollar	
		MXN Mexican Peso	

**Segment:** **CTT** Transaction Totals  
**Position:** 010  
**Loop:** CTT Mandatory  
**Level:** Summary  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To transmit a hash total for a specific element in the transaction set  
**Syntax Notes:** 1 If either CTT03 or CTT04 is present, then the other is required.  
2 If either CTT05 or CTT06 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment is intended to provide hash totals to validate transaction completeness and correctness.

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Des.</b>	<b>Element</b>		
CTT01	354	<b>Number of Line Items</b>	<b>M N0 1/6</b>
		Total number of line items in the transaction set	
CTT02	347	<b>Hash Total</b>	<b>M R 1/10</b>
		Sum of values of the specified data element. All values in the data element will be summed without regard to decimal points (explicit or implicit) or signs. Truncation will occur on the left most digits if the sum is greater than the maximum size of the hash total of the data element. Example: -.0018 First occurrence of value being hashed. .18 Second occurrence of value being hashed. 1.8 Third occurrence of value being hashed. 18.01 Fourth occurrence of value being hashed. ----- 1855 Hash total prior to truncation. 855 Hash total after truncation to three-digit field.	

**Segment:** **SE** Transaction Set Trailer  
**Position:** 030  
**Loop:**  
**Level:** Summary  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

**Syntax Notes:**

**Semantic Notes:**

**Comments:** 1 SE is the last segment of each transaction set.

#### Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9